


FUNKIMAT

Feeder for weaners and finishers - can dose feed in small amounts




- Most precise feed adjustment.
- Low maintenance costs.
- Can be 100% optimized for both flour and pellet feed.
- Long durability.
- Good separation between water and feed.
- Large feeding area / surface.
- Wide adjustment options to minimize feed waste

935 mm

MOST PRECISE FEED ADJUSTMENT **AND MINIMAL FEED WASTE**

FUNKIMAT is made of stainless steel to ensure durability. It is an option to place the feeder independently in the pen, when adding two posts. The feed containers are designed to ensure optimum volume utilization and allow filling from a low height. They are waterproof for sprinkling and prepared for automatic filling from up to three feed circuits.





12100107

FUNKIMAT

SINGLE - WEANERS (5 - 35 KG)		SINGLE - FINISHERS (30 - 120 KG)		
560710M	FUNKIMAT (flat - flat), Assembled	560711M	FUNKIMAT (flat - flat), Assembled	
560710U	FUNKIMAT (flat - flat), Unassembled	560711U	FUNKIMAT (flat - flat), Unassembled	
Capacity per feeder: 50 pigs (5 - 120 kg)				
Volume: 100 L				
DOUBLE - WEANERS (5 - 35 KG)		DOUBLE - FINISHERS (30 - 120 KG)		
0227-800	FUNKIMAT (flat - flat), Assembled	0227-900	FUNKIMAT (flat - flat), Assembled	
0227-800	•	0227-900		
	Assembled Stainless steel trough,		Assembled Stainless steel trough,	
0227-714	Assembled Stainless steel trough, Complete FUNKIMAT (flat - flat),	0227-715	Assembled Stainless steel trough, Complete FUNKIMAT (flat - flat),	



700 mm


100 mm weaners 130 mm finishers

420 mm



ACCESSORIES

ACCESSORIES			
0227-088	Dosage disc ver. 3		
0227-309	Dosage disc ver. 4 small		
0227-370	Ratainer spring for dosage device, stainless steel funkimat ver. 2		
38524	Mounting kit for u-post against feeders		
0227-440	Dosage device for Funkimat, assembled		
0227-438	Lower stainless funnel ver. 3		
0227-558	Floor plate for double Funkimat and 3N1 Roto 10x1200x1200 mm, LDPE structure for under feeders		
0227-559	Floor plate for single Funkimat and 3N1 Roto 10x670x1200 mm, LDPE structure for under feeders		
0228-276	Stainless steel post for feeder		
0227-274	Solid post for feed dispenser, 950 mm		
0227-150	Stainless steel trough foot adjustable for feeder		
12100107	Tilt valve 1/2" stainless steel type 13, drinking valve		
0227-580	Water connecting for singel feeder 10 mm aquaspeed with ½" outside thread		
0227-587	Hanger for feeding pipe		
0227-579	Water connecting for double feeders, 10mm aquaspeed with ½" outside thread		
0227-597	Hanger for feeding pipe, double feeders		



1230 mm







Components for modern pig production

mastertrading.dk



Jan Therkildsen Sales Manager +45 21 53 56 68 jt@mastertrading.dk



Bjørn Dalsgaard Johannesen
Area Sales Manager
/ Key Account
+45 30 66 34 37
bd@mastertrading.dk



Rosita Sørensen
Internal Sales Backup
/ Key Account
+45 96 26 92 46
rsorensen@mastertrading.dk



Tino Holger Ulshöfer Area Sales Manager +49 4331 664 66 90 Tino.ulshoefer@aco.com