

## Master Heater

Heating lamps for farrowing pens and finisher pens

- Waterproof IPX9K Approved
- CE labeled
- 100% maintenance free
- Energy Reducing
- Even heat distribution
- Long lifetime
- Reduced fire risk



MASTER TRADING

# MASTER HEATER

## The Master Heater Advantages

- **Energy reducing**  
Reduces energy consumption in the unit by up to 50% when combined with dual control
- **Even distribution of heat**  
Providing more even distribution of heat than traditional heat lamps. This ensures better food intake and higher survival rates among piglets and reduces the medicine use.
- **Waterproof IPX9K Approved**  
Easy to clean and maintain. To clean the Master Heater, simply use a high pressure cleaner. It is not necessary to remove the Master Heater to clean it. This also maintains a high hygiene level.
- **Long lifetime**  
Master Heater does not use incandescent light bulbs, like traditional heat lamps, but heating elements. 1 year warranty.
- **Reduced fire risk**  
Master Heater works at a lower temperature than traditional heat lamps which reduces the risk of fire.

## Dual Controller


Article nr. 560502



- Dual control for two Master Heater
- Possibility to control half / full power on up to 18 Master Heaters at the same time


## Multi Controller A16

Article nr. 560516



- Possibility to control half / full power on up to 18 Master Heater at the same time

**100w** (Article nr. 560500) / **150w** (Article. 560550) Incl. 240 cm cable



MASTER TRADING


MASTER TRADING • KIRKEVÆNGET 5 • 7400 HERNING • DENMARK

www.mastertrading.dk • Tel. +45 9744 6677

# MASTER HEATER


## Thermographic difference of the ordinary heating lamp vs Master Heater

### Heating lamp




- 162 °C** Above the bulb
- 72,0 °C** Lamp base
- 23,6 °C** Left side from the lamp


### Master Heater



- 41,9 °C** Above the heating element
- 23,8 °C** Left part above Master Heater
- 22,7 °C** Next to Master Heater, front



- 41,8 °C** Floor under the lamp
- 28,8 °C** The right side from the lamp
- 39,3 °C** Under the lamp/ lid



- 41,4 °C** Floor under Master Heater, middle
- 38,0 °C** Floor under Master Heater, right side
- 34,0 °C** Floor under Master Heater, left side

MASTER TRADING

MASTER TRADING • KIRKEVÆNGET 5 • 7400 HERNING • DENMARK


www.mastertrading.dk • Tel. +45 9744 6677




# MASTER HEATER

## RECOMMENDATION 1

This installation is the most popular one. This option was chosen by Moutrup A/S, Mr. Christoffer Hensberg



Installation of 16 Master Heater with 8 dual controllers.



” We chose the Master Heaters in our new unit. We have a total of 740 Master Heaters fitted with the dual controller. We are very pleased with the Master Heater, they provide a good heat distribution in the cave and the dual controller ensures that we can adjust the heat according to the pig’s needs. Durability is very high, we clean them with high pressure cleaners and it has not caused any problems..

Christoffer Hensberg - Moutrup A/S

## ANBEFALING 2


An example of how Jonas Juhl from Grøndal has done it in his unit. ”We have switched to Master Heater in all our units” Jonas Juhl - Grøndal / AC Farming

”

We put the first Master Heater up in our unit in 2013, and since then we switched to Master Heater in all our units. Of all the Master Heaters we’ve set up over time, every single one still works today. Cleaning the Master Heater works with the high pressure cleaner during the washing of the stables. We are extremely pleased with our choice of Master Heater.

Jonas Juhl - Grøndal

Installation of 16 Master Heater lamper med Multi kontakt A16.



Subject to changes in materials and design is reser ved.

B-8402-GB

# MASTER TRADING

MASTER TRADING • KIRKEVÆNGET 5 • 7400 HERNING • DENMARK

www.mastertrading.dk • Tel. +45 9744 6677