


- Tested and approved plastic slats in high quality from our own production in Germany
- Wide assortment of the plastics slats, cast iron slats, supports and heating plates
- High flexibility the components can be combined according to your needs
- Competitive prices, short delivery time
- Green color as a sign of good quality
- No recycling



COMBI-FLOOR


Complete flooring program according to German quality standards

Master Trading offers a complete flooring program for pig stalls. Our plastic and cast iron slats have been on the market for 30 years and they are under constant development and optimization. Master Trading plastic slats are produced and tested in Germany, and it helps to ensure the best quality and durability.





Plastic slats produced in Germany, which ensures high quality and fast delivery.



We ensure our quality through impartial quality controls.



Strict quality control of raw materials - during and after the production.



CAST IRON SLATS FOR COMBI-FLOOR

Development process



STEP 1

New ideas at R&D department at ACO FUNKI in Denmark --> This is transferred to ACO India, who has competent engineers, to make the drawings. Furthermore they make use of modern simulation systems – FEA, where they can compare the deflection and stress level to obtain the right level of loading.



STEP 2

The first sample of the product is being checked according to the high quality standards. With many years of strong quality behind us, quality control is an essential factor throughout the production process, guaranteeing unchanging standards of high quality you can trust.



STEP 3

We further test our products at external partners to ensure that we do not only deliver high quality, but the best quality on the market.



STEP 4

When the product has been through our quality assurance program and ensured us the best product on market, the production of the final product starts.




STEP 5

To cover our customers need, we finally stock pile our cast iron gratings, to ensure that you get faster deliveries.

PLASTIC SLATS FOR COMBI-FLOOR

Special slats for sows and weaners

Master Trading sow slats consist of durable polypropylene material. The slats' surface structure is specially adap-ted to the animals anatomy, and it ensures very good slip resistance and, at the same time, high comfort.




The special plastic slate has an innovative surface structure and 10% opening. It helps the piglets stay worm and dry. In addition, it excludes the risk of their claws to be caught in the holes.



60x40 cm 10% opening Article nr. 18604

Master Trading has developed a new 60x50 cm plastic slat for sows. It makes it possible to make farrowing pen, where you can combine it with a 50 cm heating plates.



PLASTIC SLATS FOR COMBI-FLOOR

Many combinations for any need



Plastic slat for sows 30x60 cm

Article nr. 18721



Plastic slat for weaners 60x40 cm

Article nr. 09100



Plastic slat for sows 60x40 cm

Article nr. 09102



Plastic slat for weaners 60x50 cm

Article nr. 17384



Plastic slat for sows 60x40 cm closed

Article nr. 17383



Plastic slat for sows 30x30 cm

Article nr. 17328



Plastic slat for sows 10x40 cm

Article nr. 18054



Plastic slat for sows 30x20 cm

Article nr. 18094


5

MASTER TRADING

CAST IRON SLATS FOR COMBI-FLOOR

STEP-system for sows in farrowing pens

The STEP-system is especially designed to elevate the sow's lying area in order to reduce the risk of crushing the small piglets by the sow, thus, reducing piglets' mortality. Furthermore, customers' experience shows, that piglets have better conditions for nursing.



Testimonial


"Increased productivity from 33,60 piglets per sow/year to 36,80 piglets per sow/year from January to August 2016. This increase in productivity was reached after rebuilding their farrowing pens with Master Trading's STEP-system. The farm has got several awards in Portugal for productivity."

"Exploração Nuno Correia - Ota" farm, Portugal



CAST IRON SLATS FOR COMBI-FLOOR

One of the largest assortments in the industry



HEATING PLATES

"Made in Germany" as a sign of high quality

The heating plate is used in farrowing pens to ensure optimal comfort for piglets and better survival ability during the first few days. With Master Trading heating plate you get:




- Fast and equal heating
- Better heat utilization and lower energy consumption
- Good piglets welfare
- Optimal heat distribution
- Possibility for electrical or hot water heating plates
- Minimum maintenance
- Optimum growing conditions even for the smallest pigs
- The bottom is provided with insulated foil material -> heat rises upwards
- Stable and durable
- Easy and inexpensive installation

EL-HEATING PLATE


17582	L: 120 x W: 40E - 230V, 130W
18409	L: 120 x W: 50E - 230V, 180W
17792	L: 120 x W: 80E - 230V, 270W
18855	L: 140 x W: 50E - 230V. 180W

CONNECTION:

In the Master Trading heating plate for EL, there are molded electric heating treads in the polymer concrete, which makes the installation easy and cheap. In this model it is possible to connect many plates in series, however a control unit will only cut handle up to 1250 W, but whith a relay the control unit will handle 2500 W.



Even heat distribution



HEATING PLATE FOR HOT WATER

12630	L: 140 x W: 50, 240W with 1/2" pipe int. thread PVC
	L: 120 x W: 40, 240W with 1/2" pipe int. thread PVC
12633	L: 120 x W: 50, 120W with ½" pipe int. thread PVC
17813	L: 120 x W: 60, 160W
17814	L: 120 x W: 60, 4S 4 sided
17634	L: 120 x W: 60, 3S, 3 sided
17640	L: 120 x W: 60, 2S 2 sided

CONNECTION:


With Master Trading heating plate for water, there are molded high-pressure pipes in polymer concrete with clamp fittings, this makes the installation easy and cheap. In this model it is possible to connect the heating plates in series up to five units, where the temperature is regulated by one thermostat.



COMFORT PLATE

Polymer plate for sows in farrowing pens

- Comfort Plate has dimensions of 60 x 40 cm, and the plate is developed in order to help sows to cool off and at the same time to ensure dry surface.
- The plate is made of polymer concrete, so the surface is always non-slip without sharp edges.
- The plate is supported and held in place by a specially designed plastic support, which ensures that the plate follows the floor surface.
- Comfort Plate can be used as a substitute for ordinary concrete tiles, if they have become rough in the surface.



SUPPORT FOR COMFORT PLATE:



560305 560310

Polymer plate for farrowing pen 60x40 cm Polymer plate for farrowing pen, compete



560300 Plastic frame 20x40 cm for polymer plate, (3 pcs. per 1 polymer plate)



- · Protects sows from shoulder damages
- · Cools the sow off
- Non-slip surface
- No sharp edges
- · Always dry surface
- Easy mounting
- Stronger than regular concrete





SUPPORT AND ACCESSORIES

Fiber glass and Delta support

1. FIBER GLASS SUPPORT

	Dimen- sions, mm		Max span length, cm		
Article nr.		Length	Weaners	Sows	With cast iron under sow
17189	70 X 32	6 m	160	120	-
17190	70 x 32	Spec. length	160	120	-
17191	120 x 32	5 m	280	240	260
17192	120 x 32	5,5 m	280	240	260
17193	120 x 32	6 m	280	240	260
17194	120 x 32	Spec. length	280	240	260







2. DELTA SUPPORT

	Wea	Farrowing pens	
Bearings	60x60 cm	60x40 & 60x50 cm	60x40 & 60x50 cm
70 x 32 mm	1500 mm	1600 mm	-
120 x 32 mm	2600 mm	2800 mm	2500 mm*
120 x 30 (Delta)	2800 mm	30000 mm	2500 mm*

- * Regular farrowing pen: 3 supports under the sow
- * Welsafe farrowing pen: Supports under all bearings




Mounting bracket for fiber glass support Article nr. 96982



GLASFASERSTÜTZE Artikelnr. 96980

PVC ROHR Ø50 X 2,4 MM - 10 BAR, PREIS PRO METER

Artikelnr. 20000065










ACCESSORIES FOR PLASTIC SLATS

Adjustment on spot



Muck trap for farrowing pen 31 x 11 cm, stainless steel Article nr. 562600

We offer all types of support and accessories for mounting plastic slats in farrowing pens.

Our solutions are well-known for the practical design and lower mounting costs as they usually do not require any special tools. Easy adjustment in length and width.

- Practical design
- Innovative solutions
- · Lower mounting costs
- · Easy adjustment in length and width





Muck trap for farrowing pen 38,5 x 18,5 cm, stainless steel Article nr. 18169





Spacer for PVC floor 30 x 40 x 58,3 mm Article nr. 8500301






Fitting for sow slat 40 cm Article nr. 17667






Filler for green plastic slat Article nr. 09105





Cross-section adapter, 20 cm Article nr. 18083





Cleaning plug L13 x B10 x H15 cm Article nr. 01777 Cleaning plug L21 x B13 x H7 cm Article nr. 554164

FASTENING

Fastening solutions for plastic and cast iron slats

I. FASTENING OF PLASTIC SLATS


30847 Anchor M8 90130847 Anchor M8, large

30887 Machine bolt 8 x 120 (Torx 50) 30888 Machine bolt 8 x 90 (Torx 50) 30308071 Buttonhead SS M8 x 70 w/o washer

Bolt-on fitting, 10 pcs. 1900241

18958 Rhomb screw anchor for plastic slats for


weaners (set 10 pcs.)







J-bolt mounting - article nr. 30847 and 90130847



Mounting of rhomb anchor - article nr. 18958

II. FASTENING OF CAST IRON SLATS


1920241 **Bolt-on fitting**

1900241 Bolt-on fitting - set, 10 pcs.

96965 Mounting bracket

96967 Mounting bracket - set, 10 pcs.

30308071 Buttonhead SS M8x70 w/o washer TORX 50



SMALL DETAILS - BIG DIFFERENCE

"We save 2 weeks per year on washing with Master Trading floor"




Testimonial

"New piglet farm was built in 2016, identical sections, the only difference is the floor.

The small details make the big difference: 6 hours washing time per section for ACO FUNKI floor vs. 7,5 hours washing time per section for not ACO FUNKI floor. It means 20% more washing time for the competitor floor. ACO FUNKI floor is also more stable and strong."

Karsten Kur Jensen, Risgaarden, Viborg, Denmark - 2150 sows, 83000 weaners




- 20% faster washing than for other slats on the market
- All the openings are in the same directions,
 i.e. manure does not stick in between the
 beams, which makes washing easier
- Green colour of the slats makes it easier to see the dirt and, for ex., signs of disease
- Stable construction
- Experience positive results right away




COMBINATIONS OF FARROWING PENS


Innumerable possibilities



COMBINATIONS OF FARROWING PENS

Innumerable possibilities









Subject to changes in materials and design reserved. B-8515-GB

MASTER